

Open Access Medical Care- Long Beach

Walk In-Medical Care Inc. Multispecialty Group

3760 Atlantic Ave ♦ Long Beach, CA. 90807 ♦ Phone: (562) 595-7467 ♦ Fax: (562) 988-0276

HEMODIALYSIS ACCESS REFERRAL

Date: // Referred to: Interventionalist

Dr. Dhamija Phone #: 562-595-7467 _____

Referring Nephrologist: _____ Phone #: _____ Fax #: _____

Referring Dialysis Unit : _____ Contact Person: _____ Phone #: _____ Fax #: _____

Patient's Name _____ MR #: _____ DOB //

Patient's Phone _____ Insurance _____

Reason for referral _____

Procedure/Evaluation Requested _____

Desired Access _____

Recent Access Problems/Complication - Check all that apply:

Difficult cannulation Change in bruit or thrill Prolonged bleeding during/after dialysis

High venous pressure URR or Kt/V Severe swelling/extremity

Other (Specify) _____

Recent Intra Access flow:

Recent Surgical/Radiologic Interventions to Access:

1. _____ Date// Physician _____

2. _____ Date// Physician _____

	Yes	No
SEAFOOD OR DYE ALLERGIES If YES, Fistulagram may be contraindicated <input type="checkbox"/> contact Nephrologist		
Diabetes Hypertension Hypotension Peripheral Vascular Disease Recent Infection Cardiac Disease, Pacemaker, etc...		
Anticoagulation Medicine: Coumadin Other –List:		
Other Pertinent Medical History:		

Patient's Dialysis Schedule: **M-W-F T-Th-S on am / midday / pm shift** Date of Last Dialysis ___/___/___
Transportation Service _____ Phone _____

Patient Face Sheet Copy of Insurance Card Last
Copy of the Vascular Access Report Card
Current Pre-op Labs (Chem. 7, CBC, PT/PTT/INR)

Three (3) copies of treatment sheet
Latest History & Physical
List of Medications

Preoperative Patient Instructions

Light meal the evening prior to procedure. No solid foods after 9:00PM and no liquids after midnight.

No medication that causes thinning of the blood prior to surgery, ask your doctor for further instructions, this includes Aspirin containing products, Arthritis, Anti-inflammatory medications, Ibuprofen or Advil and Coumadin or Warfarin.

Post procedure, patient will need transportation back home.